

Government of India
Ministry of Rural Development
Department of Rural Development
Rural Connectivity (RC) Division

Krishi Bhawan, New Delhi
Dated the 11th November, 2021

To,

**The Addl. Chief Secretary,
Department of Rural Development,
Government of Uttar Pradesh,
1st Floor, Bapu Bhawan, Sachivalaya,
Uttar Pradesh, Lucknow: - 226001.**

**Subject:- Uttar Pradesh State- Clearance to the project proposal under PMGSY-III,
Batch-I of 2021-22- ADDENDUM- reg.**

Sir,

Reference is invited to this Ministry's letter P-17024/26/2020-RC dated 09/11/2021 (copy enclosed) conveying clearance of 1078 road works measuring 8,249.41 km under PMGSY-III (Batch-I of 2021-22) to the state of Uttar Pradesh.

2. In this regard, I am directed to say that the issue of using waste plastic in the BT layer was discussed in the EC meeting and it was committed by the state that the same would be ensured during the executing of the projects. In view of the same, the following condition is added as para 3 (xi) of the said clearance letter besides other conditions listed therein:


"The State shall provision the use of waste plastics in the BT layer for construction of atleast 3000 km roads in the current batch. Suitable modification shall accordingly be made in OMMAS."

3. Other terms and conditions of the said clearance letter remains the same.

4. This issues with the approval of competent authority.

Yours faithfully,

Encl. As above



(K.M. Singh)

Deputy Secretary to the Government of India

Copy to: PS to Hon'ble Minister (RD)/PS to Hon'ble MoS/PPS to Secretary (RD)/PS to AS& FA(RD)/PPS to AS (RD)/ PPS to JS(RC).

Copy also to:-

- (i) The Chief Executive Officer, UPRRDA, Lucknow, Uttar Pradesh.
- (ii) Chief Engineer, UPRRDA, 4th & 5th Floor, Ganna Kisan Sansthan, New Berri Road, Lucknow, Uttar Pradesh.
- (iii) The Director (Technical), NRIDA with a request to ensure compliance on the condition imposed and bring to Ministry's notice in case of non-compliance
- (iv) The Director (P-I) with a request to follow up on the award of works.
- (v) The Director (P-II), Director (P-III), Director (F & A), NRIDA, New Delhi.

No. P- 17024/26/2020-RC (FMS No 370347)

Government of India
Ministry of Rural Development
Department of Rural Development
Rural Connectivity (RC) Division

Krishi Bhawan, New Delhi
Dated the 9th November, 2021

To,

The Addl. Chief Secretary,
Department of Rural Development,
Government of Uttar Pradesh,
1st Floor, Bapu Bhawan, Sachivalaya,
Uttar Pradesh, Lucknow: - 226001.

205 671/21

Subject:- Uttar Pradesh State- Clearance to the project proposal under PMGSY-III, Batch-I of 2021-22-reg.

Sir,

I am directed to refer to the proposal submitted by the State of Uttar Pradesh under PMGSY-III, Batch-I, 2021-22. The proposal was considered by the Empowered Committee in its meeting held on 21st October, 2021. I am directed to convey that, on the basis of the recommendations of the Empowered Committee and compliance report submitted by the State, the Ministry hereby accords clearance of the proposal as per summary given below:-

Item	No of proposals	Length	Cost in Crores	Avg. Cost (Lakh/km)
Upgradation	1,078	8,249.41	5,918.44	71.74
LSB	--	--	--	--
Total	1,078 Roads and Nil LSBs	8,249.41 km roads + 0.00 m LSBs	5,918.44	71.74

*MoRD Share: Rs. 3,547.52 crore
State Share: Rs. 2,370.92 crore including higher specification cost

2. The OMMAS based road list and District abstract is attached.

3. The above clearance is accorded subject to the following conditions to be fulfilled by the State.

(i) State should submit the 3rd Party Traffic Survey using ATCC and Axle load survey for the proposed roads with projected traffic more than 1 MSA as per advisory issued by the Ministry vide it's letter no. P-17025/22/2017-RC dated 24.12.2020, before the award of the works. If any discrepancy is found in the proposal, NRIDA will propose further action accordingly.

के. एम. सिंह / K. M. SINGH
उप सचिव / Deputy Secretary
भारत सरकार / Government of India
ग्रामीण विकास मंत्रालय / Ministry of Rural Development
कृषि भवन, नई दिल्ली / Krishi Bhawan, New Delhi

received
road list
9/11/21

mail

(ii) State must ensure that the payment to Cement Concrete roads is made only after verification of target strength achieved after 28 days based on cores taken from the pavement as per MoRD specifications.

(iii) State should get appropriate number of samples tested for stabilization of base and sub base courses for determining the dose of stabilizer for required strength, before award of work, from STA laboratories/State Government approved laboratories having such facility.

(iv) State should ensure that the payment for execution of those roads where the Stabilized sub bases or bases are provided is made only after verification of target UCS strength of stabilized layer achieved after 7 days based on cores taken from the pavement as per MoRD specifications.

(v) Programme Guidelines (para 13.2) stipulates that all the sanctioned works under PMGSY-III should normally be tendered and awarded within 45 days. State should ensure that these provisions of the guidelines are adhered to in letter and spirit.

(vi) The State has not adopted/corrected the DPRs adopting surface dressing for the roads having traffic T-5 and less proposed under FDR, where the State has proposed SAMI layer and 30mm BC. The proposal of the state was considered and it has been decided that State will have to bear the extra cost over and above the provision of surface dressing (as provided in guidelines/ code), if the same is not adopted. The necessary corrections in DPRs should be made on OMMAS before floating of tenders and the compliance report relating to this be sent to NRIDA. The sanctioned cost of such projects would stand revised accordingly.

(vii) The state shall follow IRC:SP:89-2018 for roads being built using FDR and/ or cement stabilization. SRRDA should preferably use IRC accredited materials. In case, they use non-accredited materials, SRRDA will ensure that the materials/ additives used for stabilization conform to the characteristics as per the code, and proper proof/ studies from reputed institutions should be placed on record for the same. SRRDA should draw up MoU with the technology provider preferably in all cases, but mandatorily in those cases where SRRDA decides to use non-accredited material as per IRC:SP:89-2018.

(viii) The SRRDA will follow the Standard Operating Procedure for maintaining quality of FDR roads, which will be communicated by NRIDA separately.

(ix) The SRRDA will ensure that the work of FDR and surface dressing is carried out using advanced machinery with strict quality control and adequate engineering supervision. The Mix design for additives in FDR should be carefully decided under expert guidance after site-specific tests.

(x) The state has proposed approximately 638 km CC roads (rigid pavement) in this batch. The state shall endeavor to adopt new technologies, such as paneled/ roller compacted/ cell filled concrete in all these roads so as to attain cost economy. The DPRs shall be amended accordingly.

के. एम. सिंह / K. M. SINGH
उप सचिव / Deputy Secretary
ग्रामीण विकास / Government of India
ग्रामीण विकास मंत्रालय / Ministry of Rural Development
कृषि भवन, नई दिल्ली / Krishi Bhawan, New Delhi

3. The state has to comply with Para 21.4 of the PMGSY-III Programme Guidelines which stipulates that planting of fruit bearing and other suitable trees, on both sides of the roads would mandatorily be taken by the State Government by using funds under Mahatma Gandhi National Rural Employment Guarantee Scheme and other Central and State Schemes. Guidelines on Tree Plantation along with Rural Roads (IRC:SP:103-2014), published by Indian Road Congress should be followed for plantation of trees along the roads constructed under PMGSY-III.

4. This issues with the approval of Hon'ble MRD.

Yours faithfully,

Encl: OMMAS based road list with District wise abstract.

Deputy Secretary to the Government of India

Copy to: PS to Hon'ble Minister (RD)/PS to Hon'ble MoS/PFS to Secretary (RD)/PS to AS (RD)/PPS to AS (RD)/ PPS to JS(RC).

Copy also to:-

- (i) The Chief Executive Officer, UPRRDA, Lucknow, Uttar Pradesh.
- (ii) Chief Engineer, UPRRDA, 4th & 5th Floor, Ganna Kisan Sansthan, New Berri Road, Lucknow, Uttar Pradesh.
- (iii) The Director (Technical), NRIDA with a request to ensure compliance on the condition imposed and bring to Ministry's notice in case of non-compliance
- (iv) The Director (P-I) with a request to follow up on the award of works.
- (v) The Director (P-II), Director (P-III), Director (F & A), NRIDA, New Delhi.